



BOX PALLET TYPE 800

The Unique Super Performance Bin

- One-piece injection moulded bin that provides great strength and resistance to damage from impact
- HDPE structural foam
- Available in solid or perforated
- For all types of powders, liquids, granulated materials
- Fully recyclable
- Easily customised
- Excellent performance for extreme temp. -40°C up to 60°C
- UV radiation resistant
- Long life span



800

BOX PALLET TYPE



BOX PALLET TYPE 800



Features

Super performance box pallets manufactured from structural foam high density polyethylene.

Available in standard sizes as well as customised to meet your exact requirements.

Our rigid boxes are a one-piece moulding in materials that provide great strength and resistance to impact damage - even at low temperatures.

Base reinforcement ribs and side walls linked to column corner posts, allow safe stacking up to eight high with a total load of 4 tonnes.

Resistant to chemical corrosion and Ultra-Violet rays, our box pallets are light enough for easy handling and feature anti-slip stack location points.

Colours



GREY



ORANGE



YELLOW



BLUE



RED



BROWN



GREEN


Anti-slip Corners

A unique stacking system with inter-lock positioning plugs that give you the safety of stacking up to 8 boxes high.



Integrally Injected Runners

Uniquely designed "built-in" plastic runners are injected integrally during the production process.



Personalizing Dolav Products

Your Logo on DOLAV Products



SILK SCREEN



NAME PLATE



LABELLING OPTIONS



EMBOSSD

Sequential Numbering



Lids



BOX PALLET TYPE 800



Recycling in Sweden-Outdoor storage in a box with a lid and a lock



Kibbutz Dvir M.P. HaNegev 85330
Tel: 972-8-9111700
Fax: 972-8-9918710
E-mail: dolav@dolav.com
Web: www.dolav.com




BOX PALLET TYPE 800



Customised Products

Our special options:



1 Special Length-2160



2 Special Height-440



3 Special Height-1140




4 Wheels




5 Drainage valve



6 Lower door



7 USDA



8 Steel runners



9 Separation compartments



10 Ticket holder



11 Stackable wheels

Many more options are waiting for you. Just tell us what you require and our product engineers will find the best solution for you.

Technical Data

	Box Pallet Type 800	Lid 800
External Dimensions (LxWxH) mm	1200x800x740	1225x825x80
Internal Dimensions (LxWxH) mm	1120x720x600	
Volume (liter)	500	
Tare Weight (Kg)	32	4.8
Thickness (mm)		3.5
Max Load (Kg)	700	
Stack Load (Kg)	4000	
Material	HDPE (Structural Foam)	
Temperature Range	-40°C up to +60°C	
Type*	Perforated/Solid/Combination	
Quantity in container (units)	20ft	40ft
	39	85
		40hc
		90

* Available in combination:
Solid walls and perforated base or perforated walls and solid base

